

# Safety Data Sheets

## 1. Identification

Product Name : LU-125 Cyan  
Order No. : LU125-C-BA  
Ink Ver. : 2  
General Use : Ink jet printing ink  
Product Description : UV Inkjet ink  
SDS Number : 037-U172524  
Manufacture  
Company Name : Mimaki Engineering Co., Ltd.  
Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN  
Telephone No. : +81-268-64-2413  
Importer / Distributor Established in Singapore  
Company Name : MIMAKI SINGAPORE PTE. LTD.  
Address : 31 Kaki Bukit Road 3 Singapore 417818 TechLink #02-03  
Telephone No. : +65-6508-2789  
Emergency Telephone No. : +81-268-64-2281

## 2. Hazards Identification

### [GHS Classification]

#### Physical Hazards

Flammable Liquids : Not classified

#### Health Hazards

Sensitization – Skin : Category 1

Toxic to Reproduction : Category 2

The above list does not include category being non-classifiable or not-applicable.

### [Label Elements]

#### Symbol



#### Signal Word

Warning

#### Hazard Statements

H317 - May cause an allergic skin reaction

## Safety Data Sheets

H361f - Suspected of damaging fertility

### Precautionary Statements

P201 - Obtain special instructions before use

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P308 + P313 - IF exposed or concerned: Get medical advice/attention

[Other hazards]

Not Applicable.

[Hazards not otherwise classified (HNOC)]

Not Applicable.

### 3. Composition / Information on Ingredients

Substance/mixture: mixture

Chemical identity: No information available

Chemical Name	CAS No	EC No	weight-%
Monomers	CBI		85-95
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	278-355-8	5-10
Copper compounds	CBI	CBI	1-5
Additives	CBI	CBI	1-5
Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	162881-26-7	423-340-5	1-5
Photoinitiator	CBI	CBI	<1
Others	CBI	CBI	<1

### 4. First Aid Measures

[Description of first aid measures]

General advice	: If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.
Inhalation	: Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.
Skin Contact	: If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Wash contaminated clothing before reuse.

## Safety Data Sheets

Eye Contact	: Rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing.
Ingestion	: If swallowed, call a poison control center or physician immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
[Most important symptoms and effects, both acute and delayed]	
Symptoms	: No data available.
[Indication of any immediate medical attention and special treatment needed]	
Self-protection of the first aider	: Use personal protective equipment as required.
Note to physicians	: May cause sensitization of susceptible persons. Treat symptomatically

### 5. Fire Fighting Measures

Flammable Properties	: Flash Point, 109 ° C / 228 ° F
Suitable Extinguishing Media	: Dry chemical, CO <sub>2</sub> , water spray or alcohol-resistant foam.
Unsuitable Extinguishing Media	: Do not use a solid water stream as it may scatter and spread fire.
Specific extinguishing methods	: No data available
Specific hazards arising from the chemical	: In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Protective equipment and precautions for firefighters	: Wear self-contained breathing apparatus and protective suit.

### 6. Accidental Release Measures

Personal precautions	: Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
----------------------	---

## Safety Data Sheets

Environmental : Collect spillage. Do not allow into any sewer, on the ground or into  
 Precautions any body of water. Should not be released into the environment.

[Methods and material for containment and cleaning up]

Methods for containment : Absorb or cover with dry earth, sand or other non-combustible  
 material and transfer to containers.

Methods for cleaning up : Use personal protective equipment as required. Soak up with inert  
 absorbent material. Pick up and transfer to properly labeled  
 containers. Clean contaminated surface thoroughly.

### 7. Handling and Storage

[Precautions for Safe Handling]

Advice on safe handling : Use personal protective equipment as required. Avoid contact with  
 skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray.  
 Wash contaminated clothing before reuse. Do not eat, drink or smoke  
 when using this product. Use with local exhaust ventilation.

[Conditions for Safe Storage, including any Incompatibilities]

Storage Conditions : Keep out of the reach of children. Keep in properly labeled containers.  
 Keep containers tightly closed in a cool, well-ventilated place. Avoid  
 direct sunlight or high temperature.

Prevents Handling of : No information available

Incompatible

Substances or Mixtures

### 8. Exposure Controls / Personal Protection

[Control parameters]

Exposure Limits

Chemical Name	ACGIH	Singapore
Copper compounds	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	

[Appropriate engineering controls]

Engineering Controls : Ensure adequate ventilation, especially in confined areas


Individual protection measures, such as personal protective equipment

Eye/face protection : Tight sealing safety goggles. Face protection shield.

Hand Protection : Gloves made of plastic or rubber.

Skin and body protection : Suitable protective clothing. Apron. Gloves made of plastic or  
 rubber.

## Safety Data Sheets



### 9. Physical and Chemical Properties

Appearance	- Physical State	: liquid
	- Color	: blue
Odor		: Characteristic odor
Odor Threshold		: No data available
pH		: No data available
Melting point/freezing point		: No data available
Boiling point/boiling range		: No data available
Flash point		: 95 °C / 203 °F (Acceptance by the lowest flash point)
Evaporation rate		: No data available
Flammability (solid, gas)		: No data available
Flammability Limits in Air		: No data available
Upper flammability limits		
Lower flammability limit		
Vapor Pressure		: No data available
Vapor density		: No data available
Specific gravity		: 1.0-1.3
Water solubility		: Immiscible in water
Solubility(ies)		: No data available
Partition coefficient		: No data available
Autoignition temperature		: No data available
Decomposition temperature		: No data available
Kinematic viscosity		: No data available
Dynamic viscosity		: 7-12 mPa·s(25 deg.C)
[Other information]		
Molecular weight		: No data available
Explosive properties		: No data available
Oxidizing properties		: No data available
Softening point		: No data available
VOC Content (%)		: No data available
Density		: No data available

# Safety Data Sheets

Bulk density : No data available

## 10. Stability and Reactivity

Stability : Stable under normal conditions.  
 Possibility of Hazardous : None under normal processing.  
 Reactions  
 Conditions to Avoid : Heat, flames and sparks  
 Incompatible Materials : Strong oxidizing agents.  
 Hazardous : Thermal decomposition can lead to release of irritating and toxic decomposition products gases and vapors.

## 11. Toxicological Information

[Information on likely routes of exposure]

INHALATION : No data available.  
 INGESTION : May be harmful if swallowed. May cause additional affects as listed under "Inhalation". Ingestion may cause irritation to mucous membranes  
 Skin Contact : No data available.  
 Eye contact : No data available.

[Information on toxicological effects]

Acute toxicity : LD/LC50 values that relevant for classification.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Copper compounds	> 10000 mg/kg ( Rat )		

[Delayed and immediate effects as well as chronic effects from short and long-term exposure]

Skin : No data available.  
 corrosion/irritation  
 Serious eye damage/eye : No data available.  
 irritation  
 Sensitization : No data available.  
 Germ cell mutagenicity : No data available.  
 Carcinogenicity : No data available.  
 Reproductive toxicity : No data available.  
 STOT - single exposure : No data available.  
 STOT - repeated : No data available.

## Safety Data Sheets

exposure

- Chronic toxicity : Repeated contact may cause allergic reactions in very susceptible persons Avoid repeated exposure May cause adverse liver effects
- Subchronic toxicity : No data available.
- Neurological effects : No data available.
- Other adverse effects : No data available.
- Aspiration hazard : No data available.

[Numerical measures of toxicity]

- Unknown Acute : 97.5% of the mixture consists of ingredient(s) of unknown toxicity.

Toxicity

- Acute oral toxicity : 97.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- Acute dermal toxicity : 97.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- Acute inhalation toxicity - gas : 97.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- Acute inhalation toxicity - Vapor : 97.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- Acute inhalation toxicity -dust/mist : 97.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## 12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

- Ecotoxicity : The table below indicates component(s) of known hazards to the aquatic environment.  
 98.6% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea	Terrestrial organism
Copper compounds	-	LC50( 48h, static ): > 100 mg/L ( Oryzias latipes )	-	-

- Persistence and Degradability : No data available.
- Bioaccumulation : No data available.

## Safety Data Sheets

Mobility : No data available.  
Other adverse effects : No data available.

### 13. Disposal Considerations

#### [Waste treatment methods]

Waste from Residues / Unused Products : Disposal should be in accordance with applicable regional, national and local laws and regulations.  
Contaminated packaging : Disposal should be in accordance with applicable regional, national and local laws and regulations.  
Safe handling and methods of disposal : No data available.

### 14. Transport Information

Check a thing without a leak in a container.  
Perform prevention of collapse of cargo surely.

#### [IMDG]

UN/ID no : Not regulated  
Proper shipping name : Not regulated  
Hazard Class : Not regulated  
Packing Group : Not regulated  
Special Provisions : none  
Marine pollutant : Not Applicable  
Environmental hazard : Not Applicable

#### [IATA]

UN/ID no : Not regulated  
Proper shipping name : Not regulated  
Hazard Class : Not regulated  
Packing Group : Not regulated  
Special Provisions : none

#### [RID]

UN/ID no : Not regulated  
Proper shipping name : Not regulated  
Hazard Class : Not regulated  
Packing Group : Not regulated  
Environmental hazard : Not Applicable



## Safety Data Sheets

Special Provisions : none  
[ADR]  
UN/ID no : Not regulated  
Proper shipping name : Not regulated  
Hazard Class : Not regulated  
Packing Group : Not regulated  
Environmental hazard : Not Applicable  
Special Provisions : none

### 15. Regulatory Information

[National Regulations]  
Poisons Act : Not Applicable  
Fire Safety Act : Not Applicable  
Environmental : Not Applicable  
Protection Management  
Law

We adopted 1.0% or more as a threshold value in case of no provision in a law.

### 16. Other Information

[Reference]  
LOLI Database (ChemADVISOR,Inc.)  
[The reference on GHS classification results]  
EU CLP(1272/2008)Annex VI Table 3.1

[Disclaimer]  
This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.  
It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.  
Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.