

#### 1. Identification

Product Name	: Flushing Liquid 01		
Order No.	: FL001-Z-22		
General Use	: Cleaning solution for ink jet printer		
Product Description	Aqueous liquid		
SDS Number	:037-C122453		
Manufacture			
Company Name	: Mimaki Engineering Co., Ltd.		
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN		
Telephone No.	:+81-268-64-2413		
Importer / Distributor Established in Australia			
Company Name	: MIMAKI SINGAPORE PTE. LTD.		
Address	: 31 Kaki Bukit Road 3 Singapore 417818 TechLink #02-03		
Telephone No.	: +65-6508-2789		
Emergency Telephone No.	: +65 3165 2217 (within Singapore only)		
	$+65\ 3158\ 1074$		

#### 2. Hazards Identification

[Classification of the substance or mixture]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	

Eye Damage / Irritation

: Category 2

The above list does not include category being non-classifiable or not-applicable.

[Label Elements] Symbol



Signal Word Warning Hazard Statements H319 Causes serious eye irritation.

**Precautionary Statements** 



#### Product Name: Flushing Liquid 01 SDS No. 037-C122453 First issue: 2017/05/29 Revised: 2019/10/30

Safety Data Sheets

[Prevention]

P280 Wear protective gloves/protective clothing/eye protection/face protection. [Response]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention. [Storage] Not Applicable.

[Disposal]

Not Applicable.

#### 3. Composition / Information on Ingredients

#### [Substances]

See section below for composition of Mixtures

Mixtures

No	Chemical Name	Wt%	CAS No.
1	Glycol ether solvents series A	50-70	Not Available
2	Glycol ether solvents series B	5-20	Not Available

#### 4. First Aid Measures

[Description of first aid	measures]
Eye Contact	: If this product comes in contact with the eyes:
	Wash out immediately with fresh running water.
	Ensure complete irrigation of the eye by keeping eyelids apart and
	away from eye and moving the eyelids by occasionally lifting the
	upper and lower lids.
	Seek medical attention without delay; if pain persists or recurs seek
	medical attention.
	Removal of contact lenses after an eye injury should only be
	undertaken by skilled personnel.
Skin Contact	If skin contact occurs:
	Immediately remove all contaminated clothing, including footwear.
	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
Inhalation	: If fumes, aerosols or combustion products are inhaled remove from
	contaminated area.
	Other measures are usually unnecessary.
Ingestion	: Immediately give a glass of water.
	First aid is not generally required. If in doubt, contact a Poisons

# MIMCIKI Safety Data Sheets

	Information Centre or a doctor.
te	: Treat symptomatically.

Indication of Immediate Medical Attention and Special Treatment Needed

#### 5. Fire Fighting Measures

[Extinguishing Media]		
Extinguishing Media	: Foam. Dry chemical powder. BCF (where regulations permit).	
	Carbon dioxide. Water spray or fog - Large fires only.	
[Special hazards arising fro	om the substrate or mixture]	
Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising	
	acids, chlorine bleaches, pool chlorine etc. as ignition may result	
[Advice for firefighters]		
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.	
	Wear full body protective clothing with breathing apparatus.	
	Prevent, by any means available, spillage from entering drains or	
	water course.	
	Use water delivered as a fine spray to control fire and cool adjacent	
	area.	
	Avoid spraying water onto liquid pools.	
	DO NOT approach containers suspected to be hot.	
	Cool fire exposed containers with water spray from a protected	
	location.	
	If safe to do so, remove containers from path of fire.	
Fire/Explosion Hazard	Combustible.	
	Slight fire hazard when exposed to heat or flame.	
	Heating may cause expansion or decomposition leading to violent	
	rupture of containers.	
	On combustion, may emit toxic fumes of carbon monoxide (CO).	
	May emit acrid smoke.	
	Mists containing combustible materials may be explosive.	
	Combustion products include:, carbon dioxide (CO2), other pyrolysis	
	products typical of burning organic material.	
	May emit corrosive fumes.	



#### 6. Accidental Release Measures

Personal precautions, protective equipment and	: See section 8.	
emergency procedures Environmental precautions	: See section 12.	
[Methods and material for c	ontainment and cleaning up]	
Minor Spills	Remove all ignition sources.	
	Clean up all spills immediately.	
	Avoid breathing vapours and contact with skin and eyes.	
	Control personal contact with the substance, by using protective	
	equipment.	
	Contain and absorb spill with sand, earth, inert material or	
	vermiculite.	
	Wipe up.	
	Place in a suitable, labelled container for waste disposal.	
Major Spills	: Moderate hazard.	
	Clear area of personnel and move upwind.	
	Alert Fire Brigade and tell them location and nature of hazard.	
	Wear breathing apparatus plus protective gloves.	
	Prevent, by any means available, spillage from entering drains or	
	water course.	
	No smoking, naked lights or ignition sources.	
	Increase ventilation.	
	Stop leak if safe to do so.	
	Contain spill with sand, earth or vermiculite.	
	Collect recoverable product into labelled containers for recycling.	
	Absorb remaining product with sand, earth or vermiculite.	
	Collect solid residues and seal in labelled drums for disposal.	
	Wash area and prevent runoff into drains.	
	If contamination of drains or waterways occurs, advise emergency	
	services.	
Dorgonal Protoctive Fauinm	ant advise is contained in Section 8 of the SDS	

Personal Protective Equipment advice is contained in Section 8 of the SDS.



7. Handling and Stora	ge
[Precautions for safe har	ndling]
Safe handling	Avoid all personal contact, including inhalation.
	Wear protective clothing when risk of exposure occurs.
	Use in a well-ventilated area.
	Avoid smoking, naked lights or ignition sources.
	Avoid contact with incompatible materials.
	When handling, DO NOT eat, drink or smoke.
	Keep containers securely sealed when not in use.
	Avoid physical damage to containers.
	Always wash hands with soap and water after handling.
	Work clothes should be laundered separately.
	DO NOT allow clothing wet with material to stay in contact with skin
[Conditions for safe stors	age, including any incompatibilities]
Storage	: Store in original containers.
incompatibility	Keep containers securely sealed.
	No smoking, naked lights or ignition sources.
	Store in a cool, dry, well-ventilated area.
	Store away from incompatible materials and foodstuff containers.
	Protect containers against physical damage and check regularly for
	leaks.
	Observe manufacturer's storage and handling recommendations
	contained within this SDS.
	Avoid reaction with oxidising agents.

#### 8. Exposure Controls / Personal Protection

#### [Control parameters]

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA: Not Available<sub>o</sub>

#### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
As a Product	Not Available	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
Glycol ether solventsseries A	Not Available	Not Available
Glycol ether solventsseries B	Not Available	Not Available

MIMCIKI<sup>®</sup> Safety Data Sheets

Exposure Controls		
Appropriate	: General exhaust is adequate under normal operating conditions.	
Engineering Controls	Local exhaust ventilation may be required in specific circumstances.	
	Provide adequate ventilation in warehouse or closed storage areas.	
Personal protection		
Eye and face	: Safety glasses with side shields.	
protection	Chemical goggles.	
	Contact lenses may pose a special hazard; soft contact lenses may	
	absorb and concentrate irritants.	
Hands/feet protection	: Wear chemical protective gloves, e.g. PVC.	
	Wear safety footwear or safety gumboots, e.g. Rubber	
Body protection	: P.V.C. apron.	
<b>Respiratory Protection</b>	: Consult with a health and safety professional for specific respirators	
	appropriate for your use.	
Thermal hazards	: Not Available.	



#### 9. Physical and Chemical Properties

[Information on basic physical and chemical properties]

Appearance - Physical State	: liquid
- Color	: Colorless transparent
Odor	: Slight
Odour threshold	: Not Available
pH (as supplied)	: 7.0-8.0
Melting point / freezing point (°C)	: Not Available
Initial boiling point and boiling range	: Not Available
(°C)	
Flash point (°C)	: Not Available
Evaporation rate	: Not Available
Flammability	: Not Available
Upper Explosive Limit (%)	: Not Available
Lower Explosive Limit (%)	: Not Available
Vapour pressure (kPa)	: Not Available

**∕∕Imakı**ĭ

### Safety Data Sheets

Product Name: Flushing Liquid 01 SDS No. 037-C122453 First issue: 2017/05/29 Revised: 2019/10/30

Solubility in water (g/L)	: Not Available
Vapour density $(Air = 1)$	: Not Available
Relative density (Water = $1$ )	: 0.97-0.99
Partition coefficient n-octanol / water	: Not Available
Auto-ignition temperature (°C)	: Not Available
Decomposition temperature	: Not Available
Viscosity (cSt)	: Not Available
Molecular weight (g/mol)	: Not Available
Taste	: Not Available
Explosive properties	: Not Available
Oxidising properties	: Not Available
Surface Tension (dyn/cm or mN/m)	: Not Available
Volatile Component (%vol)	: Not Available
Gas group	: Not Available
pH as a solution (1%)	: Not Available
VOC g/L	: Not Available

#### 10. Stability and Reactivity

Reactivity	: Stable under normal conditions of use.
Chemical Stability	: Unstable in the presence of incompatible materials.
	Product is considered stable.
Possibility of Hazardous	: Hazardous polymerisation will not occur.
Reactions	
Conditions to Avoid	: See section 7
Incompatible Materials	: See section 7
Hazardous	: See section 5
Decomposition	

#### 11. Toxicological Information

Acute Toxicity

	TOXICITY	IRRITATION
As a product	Not Available	Not Available

[Information on toxicological effects]

Inhaled : The material is not thought to produce adverse health effects or

# MIMCIKI Safety Data Sheets

	irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be
	used in an occupational setting.
Ingestion	: The material has NOT been classified by EC Directives or other
	classification systems as "harmful by ingestion". This is because of the
	lack of corroborating animal or human evidence.
Skin Contact	Skin contact is not thought to have harmful health effects (as
	classified under EC Directives); the material may still produce health
	damage following entry through wounds, lesions or abrasions.
	There is some evidence to suggest that this material can cause
	inflammation of the skin on contact in some persons.
Eye	<sup>:</sup> This material can cause eye irritation and damage in some persons.
Chronic	: Long-term exposure to the product is not thought to produce chronic
	effects adverse to the health (as classified by EC Directives using
	animal models); nevertheless exposure by all routes should be
	minimised as a matter of course.
Skin	: Data Not Available to make classification
Irritation/Corrosion	
Serious Eye	: Category 2, as a product
Damage/Irritation	
Respiratory or Skin sensitisation	: Data Not Available to make classification
Mutagenicity	: Data Not Available to make classification
Carcinogenicity	: Data Not Available to make classification
Reproductivity	: Data Not Available to make classification
STOT – Single	: Data Not Available to make classification
Exposure	
$\operatorname{STOT}-\operatorname{Repeated}$	: Data Not Available to make classification
Exposure	
Aspiration Hazard	: Data Not Available to make classification
-	: Data Not Available to make classification

#### 12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.



#### Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value
Not Available	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mobility	: No in	formation available for	r the product.	
Persistence and	sistence and : No information available for the product.			
Degradability				
Bioaccumulativ	re : No int	formation available for	r the product.	
Potential				
Other Adverse	Effects : No in:	formation available for	r the product.	
13. Disposal Con	nsiderations			

#### 13. Disposal Considerations

<b>Disposal Methods</b>	: Dispose in accordance with all applicable regulations. Empty
	containers may contain product residue.
	Do not dump this product into sewers, on the ground or into any body
	<u>of water.</u>

#### 14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Land transport (UN)	: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Air transport	: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
(ICAO-IATA / DGR)	
Sea transport	: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
(IMDG-Code / GGVSee)	
Transport in bulk	: Not Applicable
according to Annex II of	
MARPOL and the IBC	
code	
Marine Pollutant	: No



#### 15. Regulatory Information

[Safety, health and environmental regulations / legislation specific for the substance or mixture]

[National Inventory]	
Australia - AICS	: Y
Canada - DSL	: Y
Canada - NDSL	: Y
China - IECSC	: Y
Europe - EINEC / ELINCS / NLP	: Y
Japan - ENCS	: Y
Korea - KECI	: Y
New Zealand - NZIoC	: Y
Philippines - PICCS	: Y
USA - TSCA	: Y
	Y = All ingredients are on the inventory

#### 16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.