

SDS No. 037-C122454 First issue: 2017/05/29

Revised: 2019/10/30

Safety Data Sheets

1. Identification

Product Name : Maintenance Washing Liquid LX

Order No. : ML001-Z-K1

General Use : Cleaning solution for ink jet printer

Product Description : Aqueous liquid SDS Number : 037-C122454

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413 Importer / Distributor Established in Australia

: MIMAKI SINGAPORE PTE. LTD. Company Name

Address : 31 Kaki Bukit Road 3 Singapore 417818 TechLink #02-03

Telephone No. : +65-6508-2789

Emergency Telephone No. : +65 3165 2217 (within Singapore only)

+65 3158 1074

2. Hazards Identification

[Classification of the substance or mixture]

Physical Hazards

: Not classified Flammable Liquids

Health Hazards

: Category 2 Eye Damage / Irritation

The above list does not include category being non-classifiable or not-applicable.

[Label Elements]

Symbol



Signal Word

Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements



SDS No. 037-C122454 First issue: 2017/05/29 Revised: 2019/10/30

Safety Data Sheets

[Prevention]

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

[Storage]

Not Applicable.

[Disposal]

Not Applicable.

3. Composition / Information on Ingredients

[Substances]

See section below for composition of Mixtures

Mixtures

| No | Chemical Name | Wt% | CAS No. |
|----|--------------------------------|-------|---------------|
| 1 | Glycol ether solvents series A | 50-70 | Not Available |
| 2 | Glycol ether solvents series B | 5-20 | Not Available |

4. First Aid Measures

[Description of first aid measures]

Eye Contact : If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the

upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek

medical attention.

Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel.

Skin Contact If skin contact occurs:

Immediately remove all contaminated clothing, including footwear.

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

Inhalation : If fumes, aerosols or combustion products are inhaled remove from

contaminated area.

Other measures are usually unnecessary.

Ingestion : Immediately give a glass of water.

First aid is not generally required. If in doubt, contact a Poisons



SDS No. 037-C122454 First issue: 2017/05/29 Revised: 2019/10/30

Safety Data Sheets

Information Centre or a doctor.

Indication of Immediate

Medical Attention and

Special Treatment

Needed

: Treat symptomatically.

5. Fire Fighting Measures

[Extinguishing Media]

Extinguishing Media : Foam. Dry chemical powder. BCF (where regulations permit).

Carbon dioxide. Water spray or fog - Large fires only.

[Special hazards arising from the substrate or mixture]

Fire Incompatibility : Avoid contamination with oxidising agents i.e. nitrates, oxidising

acids, chlorine bleaches, pool chlorine etc. as ignition may result

[Advice for firefighters]

Fire Fighting : Alert Fire Brigade and tell them location and nature of hazard.

Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or

water course.

Use water delivered as a fine spray to control fire and cool adjacent

area.

Avoid spraying water onto liquid pools.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected

location.

If safe to do so, remove containers from path of fire.

Fire/Explosion Hazard

: Combustible.

Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent

rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO).

May emit acrid smoke.

Mists containing combustible materials may be explosive.

Combustion products include:, carbon dioxide (CO2), other pyrolysis

products typical of burning organic material.

May emit corrosive fumes.



SDS No. 037-C122454 First issue: 2017/05/29

Revised: 2019/10/30

Accidental Release Measures

: See section 8. Personal precautions,

protective equipment and

emergency procedures

: See section 12. Environmental

precautions

[Methods and material for containment and cleaning up]

Minor Spills : Remove all ignition sources.

Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective

equipment.

Contain and absorb spill with sand, earth, inert material or

vermiculite.

Wipe up.

Place in a suitable, labelled container for waste disposal.

: Moderate hazard. Major Spills

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spillage from entering drains or

water course.

No smoking, naked lights or ignition sources.

Increase ventilation.

Stop leak if safe to do so.

Contain spill with sand, earth or vermiculite.

Collect recoverable product into labelled containers for recycling.

Absorb remaining product with sand, earth or vermiculite.

Collect solid residues and seal in labelled drums for disposal.

Wash area and prevent runoff into drains.

If contamination of drains or waterways occurs, advise emergency

services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.



SDS No. 037-C122454 First issue: 2017/05/29

Revised: 2019/10/30

Safety Data Sheets

7. Handling and Storage

[Precautions for safe handling]

Safe handling : Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Avoid smoking, naked lights or ignition sources.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Always wash hands with soap and water after handling.

Work clothes should be laundered separately.

DO NOT allow clothing wet with material to stay in contact with skin

[Conditions for safe storage, including any incompatibilities]

Storage : Store in original containers.

incompatibility Keep containers securely sealed.

No smoking, naked lights or ignition sources.

Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers.

Protect containers against physical damage and check regularly for

leaks.

Observe manufacturer's storage and handling recommendations

contained within this SDS.

Avoid reaction with oxidising agents.

8. Exposure Controls / Personal Protection

[Control parameters]

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA: Not Available.

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | ${ m TEEL}	ext{-}2$ | TEEL-3 |
|--------------|---------------|---------------|---------------------|---------------|
| As a Product | Not Available | Not Available | Not Available | Not Available |

| Ingredient | Original IDLH | Revised IDLH |
|-------------------------------|---------------|---------------|
| Glycol ether solventsseries A | Not Available | Not Available |
| Glycol ether solventsseries B | Not Available | Not Available |



SDS No. 037-C122454 First issue: 2017/05/29

Revised: 2019/10/30

Safety Data Sheets

Exposure Controls

Appropriate : General exhaust is adequate under normal operating conditions.

Engineering Controls Local exhaust ventilation may be required in specific circumstances.

Provide adequate ventilation in warehouse or closed storage areas.

Personal protection

Eye and face : Safety glasses with side shields.

protection Chemical goggles.

Contact lenses may pose a special hazard; soft contact lenses may

absorb and concentrate irritants.

: Wear chemical protective gloves, e.g. PVC. Hands/feet protection

Wear safety footwear or safety gumboots, e.g. Rubber

Body protection : P.V.C. apron.

Respiratory Protection : Consult with a health and safety professional for specific respirators

appropriate for your use.

Thermal hazards : Not Available.









9. Physical and Chemical Properties

[Information on basic physical and chemical properties]

- Physical State Appearance : liquid

> - Color : Colorless transparent

Odor : Slight

Odour threshold : Not Available

pH (as supplied) : 7.0-8.0

: Not Available Melting point / freezing point (°C) Initial boiling point and boiling range : Not Available

(°C)

Flash point (°C) : Not Available Evaporation rate : Not Available Flammability : Not Available : Not Available Upper Explosive Limit (%) Lower Explosive Limit (%) : Not Available Vapour pressure (kPa) : Not Available



SDS No. 037-C122454 First issue: 2017/05/29 Revised: 2019/10/30

Safety Data Sheets

Solubility in water (g/L) : Not Available Vapour density (Air = 1) : Not Available

Relative density (Water = 1) : 0.97-0.99

Partition coefficient n-octanol / water : Not Available Auto-ignition temperature (°C) : Not Available : Not Available Decomposition temperature Viscosity (cSt) : Not Available : Not Available Molecular weight (g/mol) : Not Available Taste Explosive properties : Not Available : Not Available Oxidising properties

Surface Tension (dyn/cm or mN/m) : Not Available Volatile Component (%vol) : Not Available : Not Available Gas group : Not Available pH as a solution (1%) VOC g/L : Not Available

10. Stability and Reactivity

: Stable under normal conditions of use. Reactivity

Chemical Stability : Unstable in the presence of incompatible materials.

Product is considered stable.

Possibility of Hazardous : Hazardous polymerisation will not occur.

Reactions

Conditions to Avoid : See section 7 **Incompatible Materials** : See section 7 : See section 5 Hazardous

Decomposition

11. Toxicological Information

Acute Toxicity

| | TOXICITY | IRRITATION |
|--------------|---------------|---------------|
| As a product | Not Available | Not Available |

[Information on toxicological effects]

Inhaled : The material is not thought to produce adverse health effects or



SDS No. 037-C122454 First issue: 2017/05/29 Revised: 2019/10/30

Safety Data Sheets

irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion : The material has NOT been classified by EC Directives or other

classification systems as "harmful by ingestion". This is because of the

lack of corroborating animal or human evidence.

Skin Contact : Skin contact is not thought to have harmful health effects (as

classified under EC Directives); the material may still produce health

damage following entry through wounds, lesions or abrasions.

There is some evidence to suggest that this material can cause

inflammation of the skin on contact in some persons.

Eye : This material can cause eye irritation and damage in some persons.

Chronic : Long-term exposure to the product is not thought to produce chronic

effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be

minimised as a matter of course.

Skin : Data Not Available to make classification

Irritation/Corrosion

Serious Eye : Category 2, as a product

Damage/Irritation

Respiratory or Skin : Data Not Available to make classification

sensitisation

Mutagenicity : Data Not Available to make classification
Carcinogenicity : Data Not Available to make classification
Reproductivity : Data Not Available to make classification
STOT - Single : Data Not Available to make classification

Exposure

STOT – Repeated : Data Not Available to make classification

Exposure

Aspiration Hazard : Data Not Available to make classification

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.



SDS No. 037-C122454 First issue: 2017/05/29

Revised: 2019/10/30

Safety Data Sheets

Toxicity

| Ingredient | Endpoint | Test Duration (hr) | Species | Value |
|---------------|----------------|--------------------|----------------|----------------|
| Not Available | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

Mobility : No information available for the product.

Persistence and : No information available for the product.

Degradability

Bioaccumulative : No information available for the product.

Potential

Other Adverse Effects : No information available for the product.

13. Disposal Considerations

Disposal Methods : Dispose in accordance with all applicable regulations. Empty

containers may contain product residue.

Do not dump this product into sewers, on the ground or into any body

of water.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Land transport (UN) : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

(ICAO-IATA / DGR)

Sea transport : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

(IMDG-Code / GGVSee)

Transport in bulk : Not Applicable

according to Annex II of MARPOL and the IBC

code

Marine Pollutant : No



SDS No. 037-C122454 First issue: 2017/05/29

Revised: 2019/10/30

Safety Data Sheets

15. Regulatory Information

[Safety, health and environmental regulations / legislation specific for the substance or mixture]

[National Inventory]

| Australia - AICS | : Y |
|-------------------------------|-----|
| Canada - DSL | : Y |
| Canada - NDSL | : Y |
| China - IECSC | : Y |
| Europe - EINEC / ELINCS / NLP | : Y |
| Japan - ENCS | : Y |
| Korea - KECI | : Y |
| New Zealand - NZIoC | : Y |
| Philippines - PICCS | : Y |
| USA - TSCA | : Y |

Y = All ingredients are on the inventory

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.