

Product Name: LF-140Y SDS No. 037-U071121 First issue: 2015/12/22 Revised: 2022/07/19

* * *Section 1 - IDENTIFICATION* * *

Product Identifier: LF-140Y

Product Description

SPC-0727Y / SPC-0728Y / LF140-Y-BA

Product Use

UV cure ink for ink jet printer

Restrictions on Use

None known.

Manufacturer Information

Mimaki Engineering Co., Ltd Telephone number: +81-268-64-2413

2182-3 Shigeno-otsu, Tomi-shi, Nagano

389-0512 Japan

Importer / Distributor Information

MIMAKI SINGAPORE PTE. LTD.

31 Kaki Bukit Road 3 Singapore 417818 TechLink #02-03

Telephone number: +65-6508-2789

Emergency telephone number

+65 3165 2217 (within Singapore only)

+65 3158 1074

* * *Section 2 - HAZARDS IDENTIFICATION* * *

SPRING/SS 586-2:2014

Acute Toxicity (Oral), Category 4 (~50% unknown)

Skin Corrosion / Irritation, Category 1

Serious Eye Damage/Eye Irritation, Category 1

Skin sensitizer, Category 1

Carcinogenicity, Category 1A

Reproductive toxicity, Category 1B

Specific Target Organ Toxicity - Repeated Exposure, Category 1 (central nervous system, blood, respiratory

system, and thyroid gland)

Specific Target Organ Toxicity - Repeated Exposure, Category 2 (nose)

Hazardous to the aquatic environment - acute hazard, Category 2

Hazardous to the aquatic environment - chronic hazard, Category 2

LABEL ELEMENTS

Symbol(s)



Signal Word

DANGER

Hazard Statement(s)



Product Name: LF-140Y SDS No. 037-U071121 First issue: 2015/12/22 Revised: 2022/07/19

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Cause serious eye damage.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child

H350 May cause cancer.

H372 Causes damage to central nervous system, blood, respiratory system, and thyroid through prolonged or repeated exposure.

H373 May cause damage to nose through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+ P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P314 Get medical advice/attention if you feel unwell

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards Which Do Not Result in Classification

None known.

* * *Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS* * *

CAS	Component	Percent
Proprietary	Acryl acid ester	65-75
13048-33-4	1,6-Hexanediol diacrylate	10-20



Product Name: LF-140Y SDS No. 037-U071121 First issue: 2015/12/22 Revised: 2022/07/19

Proprietary	Initiator	10-15
Proprietary	Nickel series pigment	1-5
Proprietary	Additive	0.1-5

Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Nickel compounds.

* * *Section 4 - FIRST AID MEASURES* * *

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

Skin

Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: Get medical advice/attention. Contaminated clothing should be removed and laundered before reuse.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Note to Physicians

Treat symptomatically and supportively.

Symptoms: Immediate

Severe skin burns and eye damage, allergic skin reaction

Symptoms: Delayed

allergic skin reaction, cancer, central nervous system damage, blood damage, respiratory system damage, thyroid effects, reproductive effects

* * *Section 5 - FIRE FIGHTING MEASURES* * *

Flammable Properties

Negligible fire hazard.

Extinguishing Media

carbon dioxide, regular dry chemical, water spray, alcohol resistant foam

Unsuitable Extinguishing Media

Do not scatter spilled material with high-pressure water streams.

Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or combustion by-products.

Hazardous Combustion Products

Combustion: oxides of carbon, oxides of nitrogen, oxides of sulfur

* * *Section 6 - ACCIDENTAL RELEASE MEASURES* * *

Personal Precautions

Wear personal protective clothing and equipment, see Section 8.

Environmental Precautions



Product Name: LF-140Y SDS No. 037-U071121 First issue: 2015/12/22 Revised: 2022/07/19

Avoid release to the environment. Collect spillage.

Methods for Containment

Avoid heat, flames, sparks and other sources of ignition. Stop leak if possible without personal risk. Reduce vapors with water spray.

Cleanup Methods

Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

* * *Section 7 - HANDLING AND STORAGE* * *

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Conditions for Safe Storage

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Keep separated from incompatible substances.

Incompatibilities: acids, bases, oxidizing materials, peroxides

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Component Exposure Limits

Singapore and ACGIH have not developed exposure limits for any of this product's components.

Biological exposure limits

There are no biological limit values for any of this product's components.

Engineering Controls

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Protective Clothing

Wear appropriate chemical resistant clothing.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Respiratory Protection

Consult with a health and safety professional for specific respirators appropriate for your use.

* * *Section 9 - PHYSICAL AND CHEMICAL PROPERTIES* * *

Physical State:	Liquid	Appearance:	yellow liquid
Color:	yellow	Physical Form:	liquid
Odor:	unique odor	Odor Threshold:	Not available
pH:	Not available	Melting Point:	Not available
Boiling Point:	Not available	Flash Point:	>93 °C



Product Name: LF-140Y SDS No. 037-U071121 First issue: 2015/12/22 Revised: 2022/07/19

Decomposition Temperature:	Not available	Evaporation Rate:	Not available		
LEL:	Not available	UEL:	Not available		
Vapor Pressure:	Not available	Vapor Density (air = 1):	Not available		
Density:	Not available	Specific Gravity (water = 1):	1.07 (25 °C)		
Water Solubility:	Not available	Log KOW:	Not available		
Coeff. Water/Oil Dist:	Not available	Auto Ignition Temperature:	Not available		
Viscosity:	23±3 mPa/s (25°C)	Volatility:	Not available		
Oxidizing Properties:	Not available	Explosive Properties:	Not available		
Flammability (solid, gas):	Not applicable				

Other Property Information

No additional information is available.

* * *Section 10 - STABILITY AND REACTIVITY* * *

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal conditions of use.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid flames, sparks, and other sources of ignition. Containers may rupture or explode if exposed to heat. Avoid contact with incompatible materials.

Materials to Avoid (Incompatibilities)

acids, bases, oxidizing materials, peroxides

Hazardous Decomposition:

Combustion: oxides of carbon, oxides of nitrogen, oxides of sulfur

* * *Section 11 - TOXICOLOGICAL INFORMATION* * *

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The component(s) of this material have been reviewed in various sources and the following selected endpoints are published:

1,6-Hexanediol diacrylate (13048-33-4)

Oral LD50 Rat 5 g/kg

Immediate Effects

allergic skin reaction, severe skin burns and eye damage

Delayed Effects

allergic skin reaction, cancer, central nervous system damage, blood damage, respiratory system damage, thyroid effects, reproductive effects

Irritation/Corrosivity Data

Severe skin burns and eye damage

Respiratory Sensitizer

No information available for the product.



Product Name: LF-140Y SDS No. 037-U071121 First issue: 2015/12/22 Revised: 2022/07/19

Dermal Sensitizer

Available data characterizes components of this product as dermal sensitization hazards.

Carcinogenicity

Component Carcinogenicity

Nickel series pigment (Proprietary)

IARC: Monograph 100C [2012]; Monograph 49 [1990] (evaluated as a group) (Group 1

(carcinogenic to humans), related to Nickel compounds)NTP: Known Human Carcinogen (related to Nickel compounds)

DFG: Category 1 (causes cancer in man, related to Nickel compounds)

OSHA: Present (related to Nickel compounds)

Mutagenic Data

No information available for the product.

Reproductive Effects Data

Available data characterizes components of this product as reproductive hazards.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

central nervous system, blood, respiratory system, thyroid, nose

Aspiration Hazard

Not expected to be an aspiration hazard.

Medical Conditions Aggravated by Exposure

No information available for the product.

* * *Section 12 - ECOLOGICAL INFORMATION* * *

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Analysis - Aquatic Toxicity

Acute Toxicity

Category 1:13048-33-4 (source: NITE) Category 2: Proprietary (source: NITE)

(M factor x 10 x Category 1) + Category 2 >= Concentration limit(25%). Classification result = Category 2.

Chronic Toxicity

Category 1:13048-33-4 (source: NITE)

Category 2: Proprietary (source: 1272/2008/EC)

(M factor x 10 x Category 1) + Category 2 >= Concentration limit(25%). Classification result = Category 2.

Bioaccumulation

No information available for the product.

Bioconcentration

No information available for the product.

Biodegradation

No information available for the product.

Persistence

No information available for the product.

Mobility

No information available for the product.

Other Information

No additional information is available.



Product Name: LF-140Y SDS No. 037-U071121 First issue: 2015/12/22

Revised: 2022/07/19

* * *Section 13 - DISPOSAL CONSIDERATIONS* * *

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Information

There is no applicable waste information for this product's components.

* * *Section 14 - TRANSPORT INFORMATION* * *

IMDG Information

UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S.

UN number: UN1760

Transport hazard class(es): 8

Packing Group: III

IATA Information

UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S.

UN number: UN1760

Transport hazard class(es): 8

Packing Group: III

* * *Section 15 - REGULATORY INFORMATION* * *

Singapore Regulations

Component Analysis

No information was found for the substance(s) in Singapore regulations.

Component Analysis - Inventory

Component	CAS	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
1,6-Hexanediol diacrylate	13048-33-4	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Nickel series pigment	Proprietary	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION * *

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS -Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community: EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances: ELN (ELINCS) -European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IMDG - International Maritime Dangerous Goods: IBC Code - International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program: REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

Disclaimer

The information set forth in this Safety Data Sheet does not purport to be all-inclusive and should be used only as a guide. While the information and recommendations set forth herein are believed to be accurate, the company makes no warranty regarding such information and recommendations and disclaims all liability from reliance thereon.

End of Sheet 037-U071121