

1. Identification

Product Name	: LUS-175 Light Cyan
Order No.	: LU175-LC-BA
General Use	: Ink jet printing ink
Product Description	: UV Inkjet ink
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd.
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Telephone No.	: +81-268-64-2413
Importer / Distributor Esta	blished in Singapore
Company Name	: MIMAKI SINGAPORE PTE. LTD.
Address	: 31 Kaki Bukit Road 3 Singapore 417818 TechLink #02-03
Telephone No.	: +65-6508-2789
Emergency Telephone No.	: +65 3165 2217 (within Singapore only)
	$+65\ 3158\ 1074$

2. Hazards Identification

[GHS Classification]	
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	: Category 2
Serious eye damage/eye irritation	: Category 1
Sensitization - Skin	: Category 1A
Toxic to Reproduction	: Category 1B
Specific target organ toxicity	: Category 1
(repeated exposure)	
Chronic aquatic toxicity	: Category 2

[Label Elements]



Signal Word Danger

Hazard Statements H302 - Harmful if swallowed



H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H360Df - May damage the unborn child. Suspected of damaging fertility
H372 - Causes damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects
Precautionary Statements
P201 - Obtain special instructions before use
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

[Other hazards]

Toxic to aquatic life.

[Hazards not otherwise classified (HNOC)]

Not Applicable.

3. Composition / Information on Ingredients

Substance/mixture: mixture

Chemical identity: No information available

Chemical Name	CAS No	EC No	weight-%
2-Propenoic acid, 2-phenoxyethyl ester	48145-04-6	256-360-6	20-30
2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester	2399-48-6	219-268-7	20-30
2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-ylester, exo-	5888-33-5	227-561-6	10-20
2H-Azepin-2-one, 1-ethenylhexahydro-	2235-00-9	218-787-6	5-15
Acrylate monomer	CBI	CBI	5-15
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	75980-60-8	278-355-8	5-15
Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	162881-26-7	423-340-5	1-5
Additives	CBI	CBI	<1
Photoinitiator	CBI	CBI	<1
C.I. Pigment Blue 15	147-14-8	205-685-1	<1
Others	CBI	CBI	<1

4. First Aid Measures

[Description of first aid measures]

General advice

: Show this safety data sheet to the doctor in attendance. Do not delay care and transport of a seriously injured person. IF exposed or

MIMCIKI Safety Data Sheets

concerned: Get medical advice/attention.
: Move victim to fresh air. Get medical attention.
: Wash off immediately with soap and plenty of water while removing
all contaminated clothes and shoes. Get immediate medical
advice/attention.
: IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
Immediately call a POISON CENTER or doctor/physician.
: Rinse mouth thoroughly with water. Never give anything by mouth
to an unconscious person. If vomiting occurs spontaneously, keep
head below hips to prevent aspiration. Get medical attention.
and effects, both acute and delayed]
: Prolonged contact may cause redness and irritation May cause
blindness Coughing and/ or wheezing Hives Itching May cause
allergy or asthma symptoms or breathing difficulties if inhaled
Rashes
e medical attention and special treatment needed]
: May cause sensitization in susceptible persons.

5. Fire Fighting Measures

Suitable Extinguishing	: Use CO2, dry chemical, or foam, Use extinguishing measures that	
Media	are appropriate to local circumstances and the surrounding	
	environment.	
Unsuitable Extinguishing	: Do not use a solid water stream as it may scatter and spread fire.	
Media		
Special hazards arising	Risk of ignition. The product causes irritation of eyes, skin and	
from the substance or	mucous membranes. Thermal decomposition can lead to release of	
mixture	irritating and toxic gases and vapors. Product is or contains a	
	sensitizer. The product causes burns of eyes, skin and mucous	
	membranes.	
Advice for firefighters	: Firefighters should wear self-contained breathing apparatus and	
	full firefighting turnout gear. Use personal protection equipment.	



[Personal precautions, protective equipment and emergency procedures]			
Personal precautions	: Evacuate personnel to safe areas Ensure adequate ventilation,		
	especially in confined areas Keep people away from and upwind of		
	spill/leak Use personal protection recommended in Section 8 Avoid		
	contact with skin, eyes or clothing.		
For emergency	: Use personal protection recommended in Section 8.		
responders			
Environmental	Collect spillage. Do not allow into any sewer, on the ground or into		
Precautions	any body of water. Should not be released into the environment.		
[Methods and material for containment and cleaning up]			
Methods for containment	: Prevent further leakage or spillage if safe to do so Cover with plastic		
	sheet to prevent spreading Absorb or cover with dry earth, sand or		
	other non-combustible material and transfer to containers.		
Methods for cleaning up	: Use personal protective equipment as required Clean contaminated		
	surface thoroughly Pick up and transfer to properly labeled		
	containers Take up with sand or other non-combustible absorbent		
	material and place into containers for later disposal.		
Prevention of secondary	: Local authorities should be advised if significant spillages cannot be		
hazards	contained		
Reference to other	: See Section 12: ECOLOGICAL INFORMATION.		
sections			

7. Handling and Storage

[Precautions for Safe Handling]		
Advice on safe handling	: Handle in accordance with good industrial hygiene and safety	
	practice. Use personal protective equipment as required. Ensure	
	adequate ventilation, especially in confined areas. Do not eat, drink or	
	smoke when using this product.	
General Hygiene	: Regular cleaning of equipment, work area and clothing is	

General Hygiene	: Regular cleaning of equipment, work area and clothing is	
Considerations	recommended. Do not eat, drink or smoke when using this product.	
	Wash hands before breaks and immediately after handling the	
	product. Take off contaminated clothing and wash before reuse.	
	Contaminated work clothing should not be allowed out of the	
	workplace. Avoid breathing dust/fume/gas/mist/vapors/spray.	

[Conditions for Safe Storage, including any Incompatibilities]



Storage Conditions	: Keep away from heat. Keep container tightly closed. Keep in properly
	labeled containers. Store locked up.
[Specific end use(s)]	
Risk Management	[:] The information required is contained in this Safety Data Sheet.
Methods (RMM)	

8. Exposure Controls / Personal Protection

[Control parameters]

Exposure Limits

Chemical Name	ACGIH	Singapore
C.I. Pigment Blue 15	TWA: 1 mg/m3 Cu dust	
147-14-8	and mist	
		STEL: 3 mg/m3
		STEL: 10 ppm
Caprolactam	TWA: 5 mg/m3 inhalable	STEL: 46 mg/m3
105-60-2	fraction and vapor	PEL: 1 mg/m3
		PEL: 5 ppm
		PEL: 23 mg/m3

Caprolactam is non-intentionally added substance, contains less than 1% in the product

[Appropriate engineering controls]

Engineering Controls	Showers.	
	Eyewash stations.	
	Ventilation systems.	
Personal protective equipm	nent (PPE)	
Respiratory protection	: Vapor mask.	
Hand Protection	: Impervious gloves.	
Eye/face protection	: Face protection shield. Tight sealing safety goggles.	
Skin and body	: Rubber boots. Long sleeved clothing. Impervious clothing.	
protection	resistant apron.	

9. Physical and Chemical Properties

Appearance	- Physical State	: liquid
	- Color	: blue
Odor		: Characteristic odor

Chemical

MINCIKI Safety Data Sheets

Product Name: LUS-175 Light Cyan SDS No. 037-U193158 First issue: 2017/09/13 Revised: 2023/01/07

Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: 95 °C / 203 °F (Acceptance by the lowest flash point)
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability Limits in Air	: No data available
Upper flammability limits	
Lower flammability limit	
Vapor Pressure	: No data available
Vapor density	: No data available
Specific gravity	: 1.0-1.1
Water solubility	: Immiscible in water
Solubility(ies)	: No data available
Partition coefficient	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Kinematic viscosity	: No data available
Dynamic viscosity	: 7-12 mPa·s(25 deg.C)
[Other information]	
Molecular weight	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Softening point	: No data available
VOC Content (%)	: No data available
Density	: No data available
Bulk density	: No data available

10. Stability and Reactivity

Reactivity	: No information available.
Chemical stability	: Stable under the normal storage and use.
Explosion data	: Sensitivity to Mechanical Impact: None.
	Sensitivity to Static Discharge: Yes
Possibility of Hazardous	: No information available



Reactions	
Hazardous	: None under normal processing.
polymerization	
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	Strong oxidizing agents. Finely powdered metals.
Hazardous	: None known based on information supplied.
Decomposition Products	

11. Toxicological Information		
[Information on likely routes of exposure]		
Inhalation	: Irritating to respiratory system.	
Eye contact	: Irritating to eyes. Causes serious eye damage. May cause irreversible	
	damage to eyes.	
Skin contact	: Harmful in contact with skin. Causes skin irritation. Repeated or	
	prolonged skin contact may cause allergic reactions with susceptible	
	persons.	
Ingestion	: Harmful if swallowed. Ingestion may cause irritation to mucous	
	membranes. May be harmful if swallowed and enters airways.	
Symptoms	: Coughing and/ or wheezing. May cause redness and tearing of the eyes	
	redness burning. May cause blindness. Hives Itching May cause	
	allergic skin reaction Rashes.	

Unknown Acute Toxicity

1.0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

26.8 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

The following values are calculated based on chapter 3.1 of the GHS document

Chemical Name	Oral LD50	Dermal LD50
Product	ATEmix = 1911.5 mg/kg	ATEmix = 2246.5 mg/kg

In calculating the ATE for product classification, the converted acute toxicity value estimate is used.

[Delayed and immediate effects as well as chronic effects from short and long-term exposure]

Skin corrosion: Based on available data, the classification criteria are not met.In Vitro Acute Dermal Corrosivity Study Episkin test GLP OECDTG431. In this in vitro EPISKIN model test with similar product, the
result indicates that the product is non-corrosive to the skin.

MIMCIKI[®] Safety Data Sheets

Skin irritation	Classification is based on mixture calculation methods based on
	component data. Irritating to skin.
Serious eye	Classification is based on mixture calculation methods based on
damage/eye irritation	component data Risk of serious damage to eyes.
Respiratory or skin	Classification is based on mixture calculation methods based on
sensitization	component data May cause sensitization by skin contact May cause
	sensitization in susceptible persons.
Germ cell	Classification is based on mixture calculation methods based on
mutagenicity	component data Based on available data, the classification criteria are
	not met.
Carcinogenicity	Classification is based on mixture calculation methods based on
	component data Based on available data, the classification criteria are
	not met.
Reproductive toxicity	Classification is based on mixture calculation methods based on
	component data Contains material that may cause adverse
	reproductive effects.
STOT - single	Classification is based on mixture calculation methods based on
exposure	component data Based on available data, the classification criteria are
	not met.
STOT - repeated	Classification is based on mixture calculation methods based on
exposure	component data Causes damage to organs through prolonged or
	repeated exposure.
Aspiration hazard	Classification is based on mixture calculation methods based on
	component data Based on available data, the classification criteria are
	not met.

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch. Ecotoxicity : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
C.I. Pigment Blue	-	LC50(48h, static): > 100	-
15		mg/L (Oryzias latipes)	
Caprolactam	EC50 (72h): = 130 mg/L	LC50 (96h, static): = 930	EC50 (48h): 828 - 2920
	(Desmodesmus subspicatus)	mg/L (Lepomis macrochirus)	mg/L (Daphnia magna)



EC50 (96h): = 160 mg/L	LC50 (96h, static): = 1400	EC50 (48h): > 500 mg/L
(Desmodesmus subspicatus)	mg/L (Pimephales promelas)	(Daphnia magna Straus)
EC50 (72h): 4320 – 4800 mg/L		
(Pseudokirchneriella)		

Caprolactam is non-intentionally added substance, contains less than 1% in the product

Persistence and	: No data available.
Degradability	
Bioaccumulation	: No data available.
Mobility	: No data available.
Other adverse effects	: No data available.

13. Disposal Considerations

[Waste treatment methods]	
Waste from Residues /	: Disposal should be in accordance with applicable regional, national
Unused Products	and local laws and regulations.
Contaminated	: Disposal should be in accordance with applicable regional, national
packaging	and local laws and regulations. Improper disposal or reuse of this
	container may be dangerous and illegal.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

[IMDG]

UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (2-Propenoic
	acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-, 2-Propenoic
	acid, 2-phenoxyethyl ester)
Hazard Class	: 9
Packing Group	: III
Marine pollutant	: This material meets the definition of a marine pollutant
Environmental hazard	: Yes
Special Provisions	: 2.10.2.7 *1
EmS-No	: F-A, S-F
Description	: UN3082, Environmentally hazardous substance, liquid, n.o.s.



Environmental hazard

: Yes

Safety Data Sheets

	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-,
[RID]	2-Propenoic acid, 2-phenoxyethyl ester), 9, III
UN/ID no	: UN3082
Proper shipping name	· CN3082 · Environmentally hazardous substance, liquid, n.o.s. (2-Propenoic
I toper snipping name	acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-, 2-Propenoic
Hazard Class	acid, 2-phenoxyethyl ester) : 9
	: JII
Packing Group	
Environmental hazard	: Yes
Classification code	
Special Provisions	: 274, 335, 375, 601
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-,
	2-Propenoic acid, 2-phenoxyethyl ester), 9, III
[ADR]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (2-Propenoic
	acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-, 2-Propenoic
	acid, 2-phenoxyethyl ester)
Hazard Class	: 9
Packing Group	: III
Marine pollutant	: This material meets the definition of a marine pollutant
Environmental hazard	: Yes
Special Provisions	274, 335, 601, 375
Classification code	: M6
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-,
	2-Propenoic acid, 2-phenoxyethyl ester), 9, III
[IATA]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (2-Propenoic
	acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-, 2-Propenoic
	acid, 2-phenoxyethyl ester)
Hazard Class	:9
Packing Group	: III
	• 37

Мітакі

Safety Data Sheets

Special Provisions	: A197 *1	
ERG Code	: 9L	
Description	: UN3082, Environmentally hazardous substance, liquid, n.o.s.	
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-,	
	2-Propenoic acid, 2-phenoxyethyl ester), 9, III	
[ADN]		
UN/ID no	: UN3082	
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (2-Propenoic	
	acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-, 2-Propenoic	
	acid, 2-phenoxyethyl ester)	
Hazard Class	: 9	
Packing Group	: III	
Environmental hazard	: Yes	
Special Provisions	:274, 335, 375, 601	
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.	
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-,	
	2-Propenoic acid, 2-phenoxyethyl ester), 9, III	

*1 Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is excepted from Dangerous Goods regulations -- see UN Special Provision.

15. Regulatory Information			
[National Regulations]			
Poisons Act	: Not Applicable		
Fire Safety Act	: Not Applicable		
Environtmental	: Not Applicable		
Protection Manageme	ent		
Law (EPMA)			

We adopted 1.0% or more as a threshold value in case of no provision in a law.

16. Other Information		
[Key or legend to abbreviations and acronyms used in the safety data sheet]		
ACGIH (American Conference of Governmental Industrial Hygienists)		
[This safety data sheet complies with the requirements of following Regulation and standard]		
Regulation (EC) No. 1907/2006		
Workplace Safety, Health Act (Chapter 354A)		

MINCIKI Safety Data Sheets

SS586:2014

[Reference]

LOLI Database (ChemADVISOR,Inc.)

[The reference on GHS classification results]

EU CLP (1272/2008)Annex VI Table 3

[Disclaimer]

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.