

Product Name: UV ink LUS-211 Magenta SDS No. 037-U317623 First issue: 2023/11/06 Revised:

### 1. IDENTIFICATION

Product Identifier Product code Recommended use and restriction use Supplier name Address Telephone number Importer / Distributor Information Address Telephone number Emergency telephone number UV ink LUS-211 Magenta LUS211-M-BA INK JET ink MIMAKI ENGINEERING CO., LTD. 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN +81-268-64-2413 MIMAKI SINGAPORE PTE. LTD. 31 Kaki Bukit Road 3 Singapore 417818 TechLink #02-03 +65-6508-2789 +65 3165 2217 (within Singapore only) +65 3158 1074

### 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION Physical and chemical hazards Health hazards

Environmental Hazards GHS LABEL ELEMENTS Pictograms

Signal Word Hazard Statements

Precautionary Statements Prevention Flammable liquids Not classified Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Sensitization – skin Category 1 Reproductive toxicity Category 2 Hazard to the aquatic environment (long-term hazard) Category 2



Warning
H315 Causes skin irritation
H319 Causes serious eye irritation
H317 May cause an allergic skin reaction
H361 Suspected of damaging fertility or the unborn child
H411 Toxic to aquatic life with long lasting effects
Obtain special instructions before use(P201)
Do not handle until all safety precautions have been read and understood(P202)
Avoid breathing mist, vapours and spray.(P261)
Wash thoroughly after handling.(P264)
Contaminated work clothing should not be allowed out of the workplace.(P272)
Avoid release to the environment(P273)
Wear protective gloves, eye protection and face protection.(P280)



	Response	IF ON SKIN: Wash with plenty of soap and water(P302+P352)
		IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue
		rinsing(P305+P351+P338)
		IF exposed or concerned: Get medical advice/attention(P308+P313)
		Specific treatment.(P321)
		If skin irritation or rash occurs: Get medical
		advice/attention(P333+P313)
		If eye irritation persists: Get medical advice/attention(P337+P313)
		Take off contaminated clothing and wash it before
		reuse.(P362+P364)
		Collect spillage(P391)
	Storage	Store locked up(P405)
	Disposal	Dispose of contents/ container to an approved landfill.(P501)

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substances or mixtures	Mixtures		
Chemical name	Contents	Chemical Formula	CAS RN
Hexane-1,6-diyl diacrylate	30-40%	Unknown	13048-33-4
Acrylate Resin	25-30%	Unknown	Confidential
C.I. pigment red 122	8-10%	Unknown	980-26-7
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	7–10%	Unknown	75980-60-8
2-Propenoic acid, 1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester, exo-	- 5-10%	Unknown	5888-33-5
Morpholine, 4–(1–oxo–2–propenyl)–	0.5 - 2%	Unknown	5117-12-4

4. FIRST-AID MEASURES	
In case of inhalation	IF exposed or concerned: Get medical advice and attention.
	Call a doctor if you feel unwell.
In case of skin contact	IF exposed or concerned: Get medical advice and attention.
	IF ON SKIN: Wash with plenty of soap and water.
	Take of contaminated clothing and wash before re-use.
	If skin irritation or rash occurs, get medical advice and attention.
	Specific treatment.
In case of eye contact	IF exposed or concerned: Get medical advice and attention.
	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
In case of ingestion	IF exposed or concerned: Get medical advice and attention.
	Rinse mouth.
	IF SWALLOWED: Call a doctor if you feel unwell.



5. FIRE-FIGHTING MEASURES	
Suitable fire-extinguishing media	Dry chemicals, CO2, fog, alcohol-resistant foam or sand.
Not suitable extinguishing media	Cylindric water.
Specific hazards arising from the chemical	Risk of producing harmful gases such as carbon monoxide. Avoid inhalation of smoke or gases.
Special protective actions for fire fighters	Use goggles in combination with dust mask, and another protections
	as appropriate to situation.
6. ACCIDENTAL RELEASE MEASURES	The second set of the Party of the Annual second
Personal precautions, protective equipment	Use goggles in combination with dust mask, and another protections
and emergency procedures	as appropriate to situation.
	Large spills :Evacuate area.
<b>—</b> • • • • • • •	Ensure adequate ventilation.
Environmental precautions	Collect spillage.
	Do not discharge into the drains, surface waters or ground water directly.
Methods and materials for containment and	small spill : absorb with material such as non-combustible
cleaning up	materialwash thoroughly after handling
	Large spills: Dike spills and dispose of in safe area.
Prevention Measures for Secondary Accidents	Keep away from sources of ignition and prepare extinguishing media.
	Risk of slipping. Spilled material forms slippery floor.
	Do not recklessly walk on the spillage.
7. HANDLING AND STORAGE Handling	
Technical measures	Use local exhaust ventilation in case of production of fume or mist.
	Facilities storing or utilizing this material should be equipped with an
	eyewash facility and a safety shower.
Safe handling advice	Wash hands thoroughly after handling.
	Wear protective gloves/protective clothing/eye protection/face
	protection.
	Contaminated work clothing should not be allowed out of the
	workplace.
	Avoid breathing dust/fume/gas/mist/vapours/spray.
Storage	
Suitable storage conditions	Store locked up.
Suitable storage conditions	Store locked up.
Suitable storage conditions 8. EXPOSURE CONTROLS / PERSONAL PRO	
_	

eyewash facility and a safety shower.



Product Name: UV ink LUS-211 Magenta SDS No. 037-U317623 First issue: 2023/11/06 Revised:

Use explosion-proof electrical equipment and prevent from static electrocity.

Individual protection measures Respiratory protection Hand protection Eye protection Skin and body protection

If necessary, wear respiratory protection. Wear protective gloves. Wear eye protection/face protection. Wear protective clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical State	Liquid
Color	red
Odor	ester
Odor threshold	No data available
рН	No data available
Melting point	No data available
Boiling point	No data available
Flash point	>100°C(closed cup)
Evaporation rate	No data available
Flammability(Solid,Gas)	No data available
Flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility(ies)	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

Reactivity	No information available
Chemical stability	Stable under normal conditions of use.
Possibility of hazardous reactions	Polymerization and curing may occur when exposed to light, particularly ultraviolet rays.
Conditions to avoid	Heat source, storage near fire source, direct sunlight, ultraviole rays
Incompatible materials	Oxidizing agent, oxides of Iron, strong base
Hazardous decomposition products	Carbon dioxide, carbon monoxide

### 11. TOXICOLOGICAL INFORMATION

10 STABILITY AND REACTIVITY

Acute toxicity (Oral)

Unable to classify due to insufficient data.

# Мітакі

# Safety Data Sheets

Acute toxicity (Dermal) Acute toxicity (Inhalation : Gases) Acute toxicity (Inhalation : Vapours) Acute toxicity (Inhalation : dust/mist) Skin corrosion/ Irritation	Unable to classify due to insufficient data. Does not fall under gas based on GHS definitions. Unable to classify due to insufficient data. Unable to classify due to insufficient data. Category 2:13048-33-4 (source: Registered substances (ECHA)) Classification not possible:75980-60-8 (source: 1272/2008/EC), 5117-12-4 (source: 1272/2008/EC) No data:980-26-7 (source: None), Confidential (source: None)
Serious eye damage/ irritation	Sum of Category 2 Concentration limit = 10%. Classification result = Category 2. Category 1:5117-12-4 (source: 1272/2008/EC) Category 2:13048-33-4 (source: Registered substances (ECHA)) Classification not possible:75980-60-8 (source: 1272/2008/EC) No data:980-26-7 (source: None), Confidential (source: None)
Respiratory Sensitization Skin Sensitization	Sum of Eye category 2 Concentration limit = 10%. Classification result = Category 2A. Unable to classify due to insufficient data. Category 1:5117-12-4 (source: 1272/2008/EC), 13048-33-4 (source: Registered substances (ECHA)) Classification not possible:75980-60-8 (source: 1272/2008/EC) No data:980-26-7 (source: None), Confidential (source: None)
Germ cell mutagenicity Carcinogenicity Reproductive toxicity	<ul> <li>13048-33-4 &gt;= 1% Classification result = Category 1</li> <li>Ingredients not contributing to classification:</li> <li>5117-12-4 (category = Category 1, source: 1272/2008/EC)</li> <li>Unable to classify due to insufficient data.</li> <li>Unable to classify due to insufficient data.</li> <li>Category 2:75980-60-8 (source: 1272/2008/EC)</li> <li>Classification not possible:5117-12-4 (source: 1272/2008/EC),</li> <li>13048-33-4 (source: Registered substances (ECHA))</li> <li>No data:980-26-7 (source: None), Confidential (source: None)</li> </ul>
Reproductive toxicity, effects on or via lactation Specific target organ Toxicity - Single Exposure Specific target organ toxicity - Repeated Exposure	<ul> <li>75980-60-8 &gt;= 3% Classification result = Category 2 Unable to classify due to insufficient data.</li> <li>Unable to classify due to insufficient data.</li> <li>Category 2:5117-12-4 (organ =, source: 1272/2008/EC) Classification not possible:75980-60-8 (source: 1272/2008/EC),</li> </ul>



	13048-33-4 (source: Registered substances (ECHA)) No data:980-26-7 (source: None), Confidential (source: None)			
Aspiration hazard	Substances classified as hazardous are below the concentration limit. Contains substance of unknown toxicity. Changed from Not classified to Classification not possible. Unable to classify due to insufficient data.			
12. ECOLOGICAL INFORMATION Hazardous to the Aquatic Environment –	Not classified			
Acute Toxicity	Not classified			
Hazardous to the Aquatic Environment – Chronic Toxicity	Category 2:13048-33-4 (source: Registered substances (ECHA)) Classification not possible:75980-60-8 (source: 1272/2008/EC), 5117-12-4 (source: 1272/2008/EC) No data:980-26-7 (source: None), Confidential (source: None)			
Hazardous to the Ozone layer	(M factor x 10 x Category 1) + Category 2 >= Concentration limit(25%). Classification result = Category 2. Unable to classify due to insufficient data.			
13. DISPOSAL CONSIDERATIONS				
Residual Waste	Before disposal, make the wastes harmless, stabilized, and neutralized, and minimize danger and toxicity of the wastes. Dispose of waste in accordance with local,state and federal regulations.			
Contaminated Container and Packaging	Passed to a licensed waste contractor. In case of disposal of empty containers, remove the content thoroughly.			
14. TRANSPORT INFORMATION				
International regulations				

Sea(IMDG)	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	9
Packing group	Ш
Special Provision	2.10.2.7 *1
air(IATA)	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	9
Packing group	Π



Product Name: UV ink LUS-211 Magenta SDS No. 037-U317623 First issue: 2023/11/06 Revised:

**Special Provision** 

A197 \*1

\*1 Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is excepted from Dangerous Goods regulations --- see UN Special Provision.

### **15. REGULATORY INFORMATION**

### No main regulation

Component Analysis - Inventory

Hexane-1,6-diyl diacrylate (13048-33-4)

TSCA - United States	ENCS – Japan	KECI Annex 1, 2 – Korea	IECSC - China	DSL/NDSL - Canada	PICCS – Philippines	AICS – Australia	EINECS/ELINC S - European Union	TCSI - Taiwan	NZIoC – New Zealand	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
2-Proper	2-Propen-1-one, 1-(4-morpholinyl)- (5117-12-4)									
TSCA – United States	ENCS - Japan	KECI Annex 1, 2 – Korea	IECSC - China	DSL/NDSL – Canada	PICCS – Philippines	AICS – Australia	EINECS/ELINC S - European Union	TCSI - Taiwan	NZIoC – New Zealand	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Diphenyl	(2,4,6-trimet	hylbenzoyl)pł	nosphine oxi	de (75980-60	0-8)					
TSCA – United States	ENCS - Japan	KECI Annex 1, 2 – Korea	IECSC - China	DSL/NDSL - Canada	PICCS – Philippines	AICS - Australia	EINECS/ELINC S - European Union	TCSI - Taiwan	NZIoC – New Zealand	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
C.I. pigme	C.I. pigment red 122 (980-26-7)									
TSCA - United States	ENCS - Japan	KECI Annex 1, 2 – Korea	IECSC - China	DSL/NDSL – Canada	PICCS – Philippines	AICS – Australia	EINECS/ELINC S - European Union	TCSI - Taiwan	NZIoC – New Zealand	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	

### **16. OTHER INFORMATION**

Literature References

Other data

### NITE GHS

EU CLP Regulation, AnnexVI

The information suggested in this Safety Data Sheet does not comprehend everything and should be adopted only as a guide. The accuracy of the information and recommendations suggested herein are credible. However the company makes no warranty regarding such information and recommendations and disclaims all liability for reliance thereon.