

# Safety Data Sheets

# \* \* \*Section 1 - IDENTIFICATION\* \* \*

# Product Identifier: Dye Sublimation Ink Sb610 Blue T

## **Product Description**

SB610-BLT-2L/SB610-BLT-BJ/SB610-BLT-BA

Product Use Ink jet ink Restrictions on Use None known.

# **Manufacturer Information**

Mimaki Engineering Co., Ltd 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 Japan Telephone number: +81-268-64-2413

Telephone number: +65-6508-2789

### Importer / Distributor Information

MIMAKI SINGAPORE PTE. LTD. 31 Kaki Bukit Road 3 Singapore 417818 TechLink #02-03

#### **Emergency telephone number**

+65 3165 2217 (within Singapore only) +65 3158 1074

\* \* \*Section 2 - HAZARDS IDENTIFICATION\* \* \*

# SPRING/SS 586-2:2014

Skin Corrosion / Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin sensitizer, Category 1

# LABEL ELEMENTS

Symbol(s)



Signal Word WARNING

# Hazard Statement(s)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

## **Precautionary Statement(s)**

### Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.



**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P264** Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

## Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

**P333+P313** If skin irritation or rash occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

# Storage

None needed according to classification criteria.

# Disposal

**P501** Dispose of contents/container in accordance with local/regional/national/international regulations.

# Other Hazards Which Do Not Result in Classification

None known.

# \* \* \*Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS\* \* \*

CAS	Component	Percent
7732-18-5	Water	55-65
57-55-6	1,2-Propylene glycol	10-20
56-81-5	Glycerin	5-15
Trade Secret	Other	<10
Trade Secret	Painting material	1-10
Not Available	Preservative	<0.5

# \* \* \*Section 4 - FIRST AID MEASURES\* \* \*

# Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before re-use.

# Eyes

Skin

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

### Ingestion

If swallowed, get medical attention.

# Note to Physicians

Treat symptomatically and supportively.

# Symptoms: Immediate

allergic skin reaction, skin irritation, eye irritation

# Symptoms: Delayed

allergic skin reaction



# Safety Data Sheets

# \* \* \*Section 5 - FIRE FIGHTING MEASURES\* \* \*

# **Flammable Properties**

Negligible fire hazard.

# Extinguishing Media

carbon dioxide, regular dry chemical, water spray, alcohol resistant foam

## Unsuitable Extinguishing Media

Do not scatter spilled material with high-pressure water streams.

### **Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

## **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or combustion by-products.

# **Hazardous Combustion Products**

Combustion: oxides of carbon, acrolein, oxides of sulfur

# \* \* \*Section 6 - ACCIDENTAL RELEASE MEASURES\* \* \*

# **Personal Precautions**

Wear personal protective clothing and equipment, see Section 8.

### **Environmental Precautions**

Avoid release to the environment.

# **Methods for Containment**

Eliminate all ignition sources if safe to do so. Stop leak if possible without personal risk. Reduce vapors with water spray.

#### **Cleanup Methods**

**Small spills:** Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. **Large spills:** Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

# \* \* \*Section 7 - HANDLING AND STORAGE\* \* \*

#### **Precautions for Safe Handling**

Avoid breathing dust, mist, fumes or vapors. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

#### **Conditions for Safe Storage**

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep separated from incompatible substances.

**Incompatibilities:** acids, bases, oxidizing materials, metal oxides, peroxides, reducing agents, combustible materials, halocarbons, metals, metal salts

# \* \* \*Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION\* \* \*

Component Exposure Limits Glycerin (56-81-5) Singapore: 10 mg/m3 PEL (mist) Biological exposure limits



There are no biological limit values for any of this product's components.

#### **Engineering Controls**

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits. **PERSONAL PROTECTIVE EQUIPMENT** 

#### Eyes/Face

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

#### **Protective Clothing**

Wear appropriate chemical resistant clothing.

### **Glove Recommendations**

Wear appropriate chemical resistant gloves.

## **Respiratory Protection**

Consult with a health and safety professional for specific respirators appropriate for your use.

# \* \* \*Section 9 - PHYSICAL AND CHEMICAL PROPERTIES\* \* \*

Physical State:	Liquid	Appearance:	blue liquid		
Color:	blue	Physical Form:	liquid		
Odor:	characteristic odor	Odor Threshold:	Not available		
pH:	7-9	Melting Point:	Not available		
Boiling Point:	iling Point: Not available		Not flammable		
Decomposition Temperature:	Not available	Evaporation Rate:	Not available		
LEL:	Not available	UEL:	Not available		
Vapor Pressure:	Pressure: Not available Vapor D		Not available		
Density:	Not available	Specific Gravity (water = 1):	1-1.2 (25 °C)		
Water Solubility:	Easily soluble	Log KOW:	Not available		
Coeff. Water/Oil Dist:	Not available	Auto Ignition Temperature:			
Viscosity:	4-6 mPas (25 °C)	Volatility:	Not available		
Oxidizing Properties:	Not available	Explosive Properties:	Not available		
Flammability (solid, gas):	Not applicable				

# **Other Property Information**

No additional information is available.

# \* \* \*Section 10 - STABILITY AND REACTIVITY\* \* \*

#### Reactivity

No reactivity hazard is expected.

#### **Chemical Stability**

Stable under normal conditions of use.

Possibility of Hazardous Reactions

#### Will not polymerize.

**Conditions to Avoid** 



Avoid flames, sparks, and other sources of ignition. Avoid contact with incompatible materials.

### Materials to Avoid (Incompatibilities)

acids, bases, oxidizing materials, metal oxides, peroxides, reducing agents, combustible materials, halocarbons, metals, metal salts

## Hazardous Decomposition:

Combustion: oxides of carbon, acrolein, oxides of sulfur

# \* \* \*Section 11 - TOXICOLOGICAL INFORMATION\* \* \*

# Acute and Chronic Toxicity

# Component Analysis - LD50/LC50

The component(s) of this material have been reviewed in various sources and the following selected endpoints are published:

#### 1,2-Propylene glycol (57-55-6)

Oral LD50 Rat 20 g/kg; Dermal LD50 Rabbit 20800 mg/kg

#### Glycerin (56-81-5)

Oral LD50 Rat 12600 mg/kg; Dermal LD50 Rabbit >10 g/kg; Inhalation LC50 Rat >570 mg/m3 1 h

### Immediate Effects

allergic skin reaction, skin irritation, eye irritation

### **Delayed Effects**

allergic skin reaction

#### Irritation/Corrosivity Data

skin irritation, eye irritation

### **Respiratory Sensitizer**

No information available for the product.

#### Dermal Sensitizer

May cause an allergic skin reaction.

# Carcinogenicity

#### **Component Carcinogenicity**

No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for the component(s) of this product.

#### **Mutagenic Data**

No information available for the product.

# **Reproductive Effects Data**

No information available for the product.

#### Specific Target Organ Toxicity - Single Exposure

No target organs identified.

#### Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

#### **Aspiration Hazard**

Not expected to be an aspiration hazard.

#### Medical Conditions Aggravated by Exposure

No information available for the product.

# \* \* \*Section 12 - ECOLOGICAL INFORMATION\* \* \*

#### Ecotoxicity

# **Component Analysis - Aquatic Toxicity**

1,2-Propylene glycol (57-55-6)

Fish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50



Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50 Pimephales
promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/L
96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L
48 Hr EC50 Daphnia magna: >1000 mg/L [Static]

Glycerin (56-81-5)

Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]

#### **Bioaccumulation**

No information available for the product.

Algae: Invertebrate:

#### **Bioconcentration**

No information available for the product.

#### **Biodegradation**

No information available for the product.

## Persistence

No information available for the product.

#### Mobility

No information available for the product.

#### **Other Information**

No additional information is available.

# \* \* \*Section 13 - DISPOSAL CONSIDERATIONS\* \* \*

#### **Disposal Methods**

Dispose in accordance with all applicable regulations.

### Component Waste Information

There is no applicable waste information for this product's components.

# \* \* \*Section 14 - TRANSPORT INFORMATION\* \* \*

#### IATA Information

Not regulated as dangerous goods for transport.

#### **ICAO** Information

Not regulated as dangerous goods for transport.

#### **IMDG** Information

Not regulated as dangerous goods for transport.

# **Marine Pollutant**

#### 1,2-Propylene glycol (57-55-6)

IBC Code: Category Z

# \* \* \*Section 15 - REGULATORY INFORMATION\* \* \*

# Singapore Regulations

# **Component Analysis**

No information was found for the substance(s) in Singapore regulations.

#### Component Analysis - Inventory

Component	CAS	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
Water	7732-18-5	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes
1,2-Propylene glycol	57-55-6	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Glycerin	56-81-5	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes



# \* \* \*Section 16 - OTHER INFORMATION\* \* \*

# Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS -Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) -European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code - International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

### Disclaimer

The information set forth in this Safety Data Sheet does not purport to be all-inclusive and should be used only as a guide. While the information and recommendations set forth herein are believed to be accurate, the company makes no warranty regarding such information and recommendations and disclaims all liability from reliance thereon.